# ORIGINAL ARTICLE

# ASSESSING EXPOSURE TO PHYSICAL RISK FACTORS FOR WORK-RELATED MUSCULOSKELETAL DISORDERS AND RELEVANT PSYCHOSOCIAL FACTORS AMONG ASSEMBLY WORKERS IN AN AUTOMOTIVE COMPONENT ASSEMBLY PLANT

FAZILAH ABDUL AZIZ<sup>1</sup>, ZAKRI GHAZALLI<sup>1</sup>, NIK MOHD ZUKI MOHAMED<sup>1</sup>, and AMRI ISFAR<sup>2</sup>

<sup>1</sup>Faculty of Mechanical Engineering, University Malaysia Pahang, 26600 Pekan, Pahang, Malaysia
<sup>2</sup>Safety, Health and Environment Department, Ingress Technologies Malaysia SDN BHD, 48300 Rawang, Selangor, Malaysia

#### ABSTRACT

Work-related musculoskeletal disorders (WMSDs) are a common health problem throughout the manufacturing industry. Determination of musculoskeletal disorders and its relevant factors are one the most leading basis for ergonomics intervention programs in the automotive industry. This study was aimed to identify the ergonomics physical and psychosocial risk factors in automotive component assembly plant workers. In total ten workers with different job tasks were observed using Quick Exposure Check (QEC) which is an observational instrument, which allows practitioners and workers to assess four key regions of the body. It was found that automotive assembly component assembly plant workers were exposed to many postural problems while performing automotive component assembly task activities. Results of the QEC scores were found to be very high for the worker's neck, whereas the scores for the worker's back (in moving) and worker's shoulder/arm were found to be high. The workers in spot gun welding process in two workstations including panel member rear cross No.1 spot gun welding assembly process (Line 2) as well as workers at the panel roof side inner spot gun welding assembly process suffered from very high levels of WMSDs at all worker's main body regions except wrist/hand. Meanwhile, the vibration exposure level is high in most of the workstations. In addition, a very high exposure level for stress has been found in the panel member rear cross No.1 spot gun welding assembly process (Line 2) workstation. Musculoskeletal disorders had a high prevalence among workers in this automotive component assembly plant. The physical and psychosocial risk factors were required to be identified and controlled so that the WMSD's symptoms can be minimized. The results of this study will be applied to a knowledge based ergonomics risk assessment system development for assembly plant workers in an automotive component manufacturer.

**Keywords:** Work-related musculoskeletal disorders (WMSDs), musculoskeletal disorders automotive component assembly plant, manual assembly process, and manual welding assembly process

#### INTRODUCTION

There are several physical factors at the workplace that are related with the incidence of musculoskeletal disorders; awkward posture, repetitive movement, the force of the movements, vibration and temperature as specified by Safety and Health Administration (OSHA) of the United State (Anita, Yazdani, Hayati, & Adon, 2014). Occhipinti and Colombini, (2016) have reported that work related musculoskeletal disorders (WMSDs) are primarily caused by working activities involving manual handling, heavy physical awkward postures, repetitive jobs, movements or exertions of the upper limbs and vibrations. The ergonomists from all over the

world have experienced that WMSDs are the main concern for worker's health and safety in the society and industry (Bulduk, Bulduk, Süren, & Ovali, 2014; Peppoloni, Filippeschi, Ruffaldi, & Avizzano, 2015). Moreover, psychosocial risks and work-related stress are among the most critical issues in occupational safety and health because of the effect significantly on the health of workers, organizations and national economies(EU-OSHA, 2015).

Generally work related risk factors for assembly workers in automotive manufacturers including physical demands made compulsory by prolonged periods of standing, carrying and lifting loads, awkward working postures, repetitive motions, vibration, noise, and heat working environment. As reported by Zare, Malinge-Oudenot, Höglund, Biau, & Roguelaure, (2016) that many tasks have to be performed on an automotive assembly line including tightening, picking up, lifting and material handling. The prevalence of musculoskeletal highest disorders (MSD) for those workers working in Body and Engine department at an automotive manufacturing company were back and feet discomfort (Baba Md. Deros, Dian Darina Indah Daruis, Ahmad Rasdan Ismail, Nurfarhana Abdul Sawal, & Jaharah A. Ghani, 2010). Research done by Anita et al., (2014) exposed that the prevalence of MSD among assembly line workers in automotive manufacturing company was high, and the most commonly affected body regions were lower back, shoulder, wrist/hand, neck, upper back knee, ankle/feet, hip/thigh, and elbow. Another finding by Zare, Malinge-Oudenot, et al., (2016) was the hand/wrist risk factors were observed to be high or moderate in approximately for most of the workstations at a truck manufacturing plant. Research done by Akter, Rahman, Mandal, and Nahar, (2016) that Bangladeshi automotive discovered workers are at risk due to the demand of poor ergonomic working environment after investigating their posture movements. All these are the reasons why the prevalence of work-related musculoskeletal disorders is high in the automotive industry (Anita et al., 2014; Baba Md. Deros et al., 2010; Mavis, Rahman, & Tamrin, 2014; Nur, Dawal, & Dahari, 2014; Zare, Malinge-Oudenot, et al., 2016).

The welding process is one of the important components of numerous manufacturing industries, which has potential physical health risks (Sharifian, Loukzadeh, Shoiaoddiny-Ardekani, & Aminian, 2011). The assembly workers need to apply the constant physical effort in challenging working environment. The majority of the tasks and working procedures that assembly workers must require a variety of comply posture movements including bending, stretching and standing and moving for long periods of time. As reported by Lasota and Hankiewicz (2016), the assembly welders are subjected to awkward posture while performing the manual welding process with repetitive movement. Moreover, welders in the assembly plant actively participate in the physical demand of job task and using a lot of muscles (Francisco & Edwin, 2012).

Assembly workers play key roles in an automotive component assembly plant. Working in prolonged standing, and physically assembling the components using tools causes MSDs mainly in upper limbs like the neck, back, shoulders, arms, hands, and wrist. According to Mavis et al., (2014), MSDs are the main cause of work-related disabilities and injuries in the developed and developing countries. The occupational risk for WMSDs may growth in higher work pace, low job satisfaction, highly demanding work and stress (Occhipinti & Colombini, 2016). Thus, the ergonomics intervention implementation is based on the health consequences that are related to occupational exposure factors (Farhadi et al., 2014).

Although studies have recognized musculoskeletal disorders in several occupational, but there is still insufficient data for an exact determination the causes for musculoskeletal disorders in assembly plants. Specifically, there is insufficient knowledge on the health effects of prolonged standing and physically assembling the components using tools. Furthermore, it is rare to find any case studies on the high physical demand job task challenging working environment. in Therefore, we conducted a study on the effects of high physical demand job task in challenging working environment to worker's health and well-being.

The present study was aimed to determine musculoskeletal disorders risk level among plant automotive component assembly workers. This paper also seeks to identify the ergonomics physical and psychosocial risk factors using quick exposure check (QEC) instruments automotive component in assembly plant workers. The results of this study will be applied to a knowledge based ergonomics risk assessment system development for assembly plant workers in an automotive component manufacturer.

#### METHODOLOGY

#### Workplace description

The selected company is a manufacturing automotive component for a growing number of carmakers in Malaysia as well as the ASEAN region. The assembly plant has 6 assembly line units and workers involve in 3 shifts including normal shift, day shift, and night shift. Ten workstations were selected based on workstation's worker total discomfort score in exposure WMSD assessment using Cornell Musculoskeletal Discomfort Questionnaire (CMDQ) (see Table 1). The workstations studied involved various assembly tasks and mainly are manual welding assembly with 8 workstations.

Basically, each assembly line unit produces different of components based on carmakers' vehicle model. Given the variation in assembly lines for each workstation, there are extra or different tasks which cause variations in physical risk factors. The cycle time for each workstation is based on the target output per hour that has been set for the workers. It is included in the time performing the assigned tasks with recovery time.

#### Participants

#### i. Assembly workers

The participants in this study were recruited through a screening process using CMDQ. Those assembly workers who achieved a total discomfort score for all body regions more than 100 was selected for job task assessment. Assembly workers worked on a different shift, attached to a different workstation and assembly line, vary in numbers of the task and work output per hour (refer Table 1).

#### ii. Practitioners or observers

There were six observers appointed for job task assessment including 2 persons each from safety, health and environment department and engineering department, and 1 person each from production assembly department and university researcher. This group of the observer has mixed background and experiences.

#### Assessment tools

The physical exposure risk factors of WMSD and changes in exposure can be evaluated by various observational assessment techniques. The QEC was one of these observational methods and developed for ergonomists, health and safety practitioners in order to investigate musculoskeletal risk factors in workers (Bulduk et al., 2014; David, Woods, Li, & Buckle, 2008; Occhipinti & Colombini, 2016).

In this study, the job task assessment was executed by applying the QEC tools. The QEC was used because this technique considered many risk factors for poor ergonomics conditions at the workplaces (Farhadi et al., 2014; Sukadarin et al., 2013; Zare, Malinge-Oudenot, et al., 2016). The QEC questionnaire was adopted from previous studies (David et al., 2008) and translated to Bahasa Malaysia to facilitate assembly workers and observer's team (see appendix A and B).

QEC technique has been previously applied to plant workers and assembly includes assessment of four body regions, namely the back, shoulder/arm, wrist/hand, and neck, with regards to postures and repetitive movements. This technique also assesses several psychosocial risk factors including driving, vibration, work pace and stress. The exposure levels for body regions and other factors are categorized into four exposure categories, low, moderate, high, and very high. The range of score as displayed in Table 2.

Through QEC technique the participatory ergonomic has practiced by the involvement of the practitioner from the different department as the observer who conducts the job task assessment, and the worker who has direct experience of the job task.

Table	2.	Priority	levels	for	Quick	Exposure
Check	sco	res (Davi	d et al.	., 20	08)	

Exposure factor	Exposure level					
	Low	Moderate	High	Very		
			-	high		
Back (static)	8 - 14	16 - 22	24 -	30 -		
			28	40		
Back (moving)	10 -	21 - 30	32 -	42 -		
	20		40	56		
Shoulder/arm	10 -	21 - 30	32 -	42 -		
	20		40	56		
Wrist/hand	10 -	21 - 30	32 -	42 -		
	20		40	56		
Neck	4 - 6	8 - 10	12 -	16 -		
			14	18		
Driving	1	4	9	-		
Vibration	1	4	9	-		
Work pace	1	4	9	-		
Stress	1	4	9	16		

#### Data collection

Workers with high total discomfort score (> 100) were selected in this study. The researcher has performed video recording for selected workers in order to record the whole body movement. The recordings allowed the researcher and observer team members to perform a more precise evaluation of the job task assessment.

In this study, an observer team has been formed to assess the selected job tasks. Before assessment, the observer's team was briefed about the purpose and method of job task assessment by the academic researcher. The recorded video was displayed during this briefing session so that observer team member can carry out at more accurate evaluation. In the selected job task, workers who are involved also have been called to describe the organization of their working day by hours with breaks. They also required listing the tasks performed and mapping them onto a plan.

During the job task assessment, observer's team members have been instructed to observe the task for 10 to 20 cycles, approximately 10 minutes to make the assessment before completing the assessment form. The observers must assess the worst case for each body regions. Observers should place a tick in the most appropriate box for questions A to G (see appendix A) based on their observation of posture and movement of the back, shoulder, and arm, wrist and hand, and neck.

A participatory ergonomics approach was used throughout the study with input from health and safety practitioners, production assembly and engineering department's engineers, and academic researcher. Observer assessment's answer was compiled and the highest voted answer was used for scoring the job task assessment.



Figure 1. Participatory ergonomic approach among the observer's job task assessment in an automotive component assembly plant

Under worker's assessment, structured interview session with the selected workers was conducted based on questions H to Q (see appendix B). The interviewer places a tick in the appropriate box based on worker's answer. However, in the three questions (L, P, Q), the worker has been asked for more detail answer if appropriate as a basis for identifying the nature of the problem. The job task assessment process flow chart is shown in appendix C.

#### Scoring job task assessment

After assessing the job tasks and the main QEC's procedure was followed, and each body posture gained its score. The QEC exposure scores are based on combinations of risk factors identified by the observer for each body regions and by the worker's subjective responses. The scores for each body region were determined by using the exposure scores sheet as shown appendix D. The exposure level of the studied risk factors was identified by obtained the scores and compared with the guidelines as shown in Table 2.

#### RESULTS

#### Demographic

A total of 10 assembly workers participated in this study. The age of the workers ranged from 20 to 35 years. Their working experience was between 2 to 15 years. For the level of education, all of the workers studied up to upper secondary school.

#### Postures of assembly workers

Assembly workers were mainly involved in welding and assembling. This group was required to do heavy and very heavy physical activities, statically and dynamically for more than 70% of their working hours, including repetitive manual handling, prolonged standing, and repeated bending from the waist. Postures that were involved during manual assembly process including welding assembly, door hinge assembly, and fuel lid assembly are shown in the following Figures (see Figure 2 ~ Figure 6).



Figure 2. Worker's posture performing manual spot gun welding assembly process



Figure 3. Worker's posture performing CO2 welding process



Figure 4. Workers performing stationary spot welding process



Figure 5. Worker's posture performing door hinge assembly process



Figure 6. Worker's posture performing fuel lid assembly process Posture analysis

In accordance with the exposure levels for body regions in Figure 7, the job task

assessment result reveals that 70% had very high exposure risk to worker's neck, and 60% had high exposure risk to worker's back (moving), shoulder and arm. Meanwhile out of the tasks evaluated, 80% had medium exposure risks to the wrist and hand.





Figure 8 is displaying the exposure risk level for physical and psychosocial factors. The QEC analysis discovered that 80% of respondents have produced a high score for exposure risk to vibration and each 10% of respondents the exposure risk to vibration were low and medium. Work pace scores in 60% of the respondents were medium, in 30% of the respondents were high, and 10% of them were low. While the stress scores of respondents in 60% were medium, the scores were high in 30% and were very high in 10% of them. However, driving score is low for all workers because driving is not part of their job task.



Figure 8. The exposure risk level for vibration, work pace and stress factors

Body region's exposure level for all assessed job task is shown in Table 3. The results demonstrated the exposure risks to musculoskeletal disorders were high and very high in assembly workers. As shown in Table 3, all the job task activities were giving a very high and high risk to the worker's neck, except for fuel lid assembly process which is moderate risk. Very high exposure level for the worker's neck was found in stationary spot welding process, CO2 welding process and spot gun welding process for several vehicle components. Moreover, for the worker's back (in moving condition) a very high exposure level have been found in the panel member rear cross No.1 spot gun welding assembly process and panel roof side inner spot gun welding assembly process workstation.

Referring to Table 3 all the job task activities were producing a very high and high risk to the worker's shoulder/arm, but the moderate risk for stationary spot welding task. The very high exposure level was found in three workstations including panel member rear cross No.1 spot gun welding assembly process, panel member floor side inner spot gun welding assembly process, and panel roof side inner spot gun welding assembly process. The job task assessments also produced a very high exposure risk to the worker's back in two workstations. Affected workstations are panel member rear cross No.1 spot gun welding assembly process and panel roof side inner spot gun welding assembly process. There are two workstations including panel member rear cross No.1 spot gun welding assembly process (Line 2) and panel roof side inner spot gun welding assembly process the exposure level is very high on the worker's neck, shoulder/arm, and back (in moving condition). Meanwhile, all the job task activities were generating moderate exposure level to worker's wrist/arm, but not for stationary spot welding process and fuel lid assembly process which high and low exposure levels have respectively.

Exposure level for psychosocial factors is presented in Table 4. Vibration risk factor affects most of the job task activity in the automotive component assembly plant with the high exposure level. Several job task like stationary spot welding process, panel member rear cross No.1 spot gun welding assembly process and panel quarter inner spot gun welding in work pace factor the exposure level were high. Meanwhile, there was one job task which is panel member rear cross No.1 spot gun welding assembly process (Line 2) the stress score was very high. Other three job tasks including panel member rear cross No.1 spot gun welding assembly process (Line 1), CO2 welding process, and panel member floor side inner spot gun welding assembly process the exposure level to stress the score were high.

### DISCUSSIONS

This job task assessment was performed exposure risk levels for WMSDs among workers in assembly plant of an automotive component manufacturer was analyzed. Working in an automotive assembly plant is known as a demanding task that requires a high level of strength and attention in order to cope with the demands of the job demands, production volume, quality of component, and variable of tasks. Most of the automotive component manufacturer's workers had significant exposure to ergonomics risk factors (Mavis et al., 2014). As reported by David et al., (2008) the workplace risk factors consist of the physical demands imposed by performing the task, such as posture adopted, the force applied frequency and repetition of movement, a period of the task and the vibration experienced. A study done by Nur et al., (2014) has discovered that workers who performed repetitive tasks in the automotive manufacturer are exposed to the risk of WMSDs.

This study was based on observation method and applied QEC as an instrument which allowed the performance of a rapid evaluation of exposure to risk factors for WMSDs. The QEC main focus is on ergonomics physical factors and four main body regions to be evaluated. Moreover, through QEC technique this study also includes the evaluation of psychosocial factors. QEC technique is applied as a screening tool to evaluate job tasks from practitioners viewpoint. Most of the job task in the study were evaluated as having high to very high exposure to risk physical factors and medium to high exposure to risk psychosocial factors. This study results support finding by Zare, Malinge-Oudenot, et al., (2016) who have found that most of the workstations for standard trucks and other models in the study were evaluated as having moderate exposure to risk factors.

The results of the study indicated that about 70% of job tasks in an automotive component assembly plant had very high risks for neck posture and 60% had high risks for the back (in moving condition) and shoulder/arm postures. These study results support the latest finding by de Cássia Pereira Fernandes, da Silva Pataro, de Carvalho, and Burdorf, (2016) who found that the musculoskeletal have comorbidity was high, varying between 72.2 %for lower back to 90.5 % for neck pain. Another study done by Krishna, Maiti, Ray, and Mandal, (2015) found that the MSD problem among the crane operators in the plant is most affected on worker's neck, shoulder, and lower back. According to the literature, the most affected body regions for WMSDs among automotive industry's workers are neck, shoulder, arm, and back (Akter et al., 2016; Nur et al., 2014; Zare, Mignot, Sagot, & Roquelaure, 2016; Zokaei et al., 2014).

The QEC analysis discovered that 80% of respondents have produced a high score for exposure risk to vibration. The high score for exposure risk to vibration among respondents may have been due to their job tasks applied manually hand tools, equipment and machines to produce the components. Burstrom et al., (2010) had reported that manual work involving vibrating power tools has been related to several symptoms including musculoskeletal disorders, vascular and neurological. Established studies had reported that manual handling of the tools and vibration were associated with increased prevalence of body pain among the workers (Abaraogu, Ezema, Igwe, Egwuonwu, & Okafor, 2016; Akter et al., 2016; Hernández-Arellano, Serratos-Perez, & Coronado, 2016). A research was done by Saha and Kalra, (2016) discovered that tool weight was insignificant with handarm vibration symptom among workers. However, they had revealed that the musculoskeletal complaints by angle grinder operators in sheet metal were significantly associated with tool weight. The welder's exposures to vibration and related injuries were reduced after regular investigations of risk exposure and health (Burstrom et al., 2010). Thus further study on spot gun welding assembly process like machine welding weight is required in order to reduce the WMSDs.

The results demonstrated the exposure risks to musculoskeletal disorders were high and very high in automotive component assembly plant workers. The finding of the present study is in agreement with Mavis et al., (2014) and Nur et al., (2014) who showed that the musculoskeletal disorders are a frequent complaint among automotive manufacturing workers. Most of the assembly welding task activities including stationary spot welding process, CO2 welding process, and spot gun welding assembly process were giving very high and high risk to the worker's neck, back, shoulder/arm. These results of the study support the findings by previous researchers who revealed that ergonomics risk factors are associated with the awkward posture while operating welding machines and repeatability of movement by operators (Francisco & Edwin, 2012) and welders job tasks are dangerous and perceive a higher amount of risk factors (Cezar-Vaz et al., 2012). Most Iranian welders suffered from (88.3%) some kind of musculoskeletal disorders symptoms(Hossein, Reza, & Abolfazl, 2011). The latest research was done by Lasota and Hankiewicz, (2016) discovered that there was an association between the size of welded part and the worker's back and leg postures and the risk of WMSD.

Prolonged standing and physically handling the welding machines could have the potential for the neck, back, and shoulder/arm pain among the manual welding assembly workers. These study results had similar findings with Hao et al., (2011) who found that the exposure score of shoulder/arm for the workers in welding department was higher than that in other departments. According to Francisco and Edwin, (2012) welders that need to be standing for long periods of time were injured to a greater extent compared to other workers.

All the job tasks in this study have required the workers to perform repetitively. Previously established studies reported that neck, shoulder/arm, and back pain is associated with repetitive tasks (Bodin et al., 2017; De Beer & Maja, 2016; de Cássia Pereira Fernandes et al., 2016; Nur et al., 2014; Rafeemanesh, Kashani, Parvaneh, & Ahmadi, 2017). One of the risk factors for the development upper extremity musculoskeletal injury is the repetitive work performed with powered hand tool (Gooyers & Stevenson, 2012)

Hao et al., (2011) investigated the effects of ergonomic stressors on musculoskeletal disorders of workers in automotive manufacturing. They found that workers in welding department in the automotive manufacturing company have a higher level of work pace and work stress. The research done by Goovers & Stevenson, (2012) exposed that an increased work pace has on the physical demands of workers in manufacturing assembly. However current study results do not supported these results. Current study results supported findings by Bosch,

Mathiassen, Visser, Looze, and Dieën, (2011) who found the work pace did not demonstrate harmful effects in terms of exposure to excessive amounts of physical loading and muscle fatigue. Author's claimed that increasing worker's work pace lead to more errors might diminish production quality. Usually, work stress affects job performance and makes workers to absence from work. In this study, the job tasks have exposed the assembly workers to stress within moderate to very high level. Prolonged stress will leads in severe health problems like musculoskeletal illnesses (EU-OSHA, 2014)

#### CONCLUSIONS

The ergonomics physical and psychosocial risk factors for WMDs were investigated using QEC technique. The study results demonstrated that job tasks in automotive component assembly plant have been exposed to very high of WMSDs risk at worker's neck, followed to a high of WMSDs risk at worker's back (in moving condition) and worker's shoulder/arm. This study also found that in the psychosocial factors, the exposure level is high for vibrations in most of the workstations and not for the two workstations including stationary spot welding (moderate level) and fuel lid assembly process (low level). A very high exposure level for stress has been found in the panel member rear cross No.1 spot gun welding assembly process (Line 2) workstation.

Although the results found are constructive as a preliminary study, the inexperience of observer's assessment could lead to the misinterpretation. Moreover, the way on how inexperience assembly workers have to estimate the weight of tools and objects, and the force that existed in assembly process activities is guestionable due to their limited knowledge in ergonomics. However, this job task assessment is a good to start for the company to implement the participatory ergonomics program among the assembly plant workers. Thus QEC technique is suitable and as demonstrated by the field reliable assessment on the exposure to risk factors in automotive component assembly workers.

In summary, the exposure to physical risk factors among automotive component assembly plant workers at a high and very level. The job task assessment by in-house practitioners showed that awkward postures on worker's neck, shoulder/arm and back were the common ergonomic workload in the automotive component assembly plant. Furthermore, prolonged standing, carrying and lifting loads, repetitive movements, vibration, and work-related stresses are suspected risk factors for musculoskeletal disorders in automotive component assembly plant workers. The results of suspected risk factors for musculoskeletal disorders will be applied to a knowledge based ergonomics risk assessment development in the next stage of studv.

#### ACKNOWLEDGEMENT

The authors also would like to acknowledge University Malaysia Pahang (UMP), the Ministry of Higher Education Malaysia (MoHE) of the scholarship SLAI (Sijil latihan akademik IPTA) and Ingress Technologies Sdn Bhd.

#### REFERENCES

- Abaraogu, U. O., Ezema, C. I., Igwe, S. E., Egwuonwu, A. V., & Okafor, U. C. (2016). Work-related back discomfort and associated factors among automotive maintenance mechanics in Eastern Nigeria: A cross sectional study. *Work*, 53(4), 813-823.
- Akter, S., Rahman, M. M., Mandal, S., & Nahar, N. (2016). Musculoskeletal symptoms and physical risk factors among automobile mechanics in Dhaka, Bangladesh. South East Asia Journal Of Public Health, 6(1), 8-13.
- Anita, A. R., Yazdani, A., Hayati, K. S., & Adon, M. Y. (2014). Association between Awkward Posture and Musculoskeletal Disorders (MSD) among Assembly Line Workers in an Automotive Industry. Malaysian Journal of Medicine and Health Sciences, 10(1), 23-28.
- Baba Md. Deros, Dian Darina Indah Daruis, Ahmad Rasdan Ismail, Nurfarhana Abdul Sawal, & Jaharah A. Ghani. (2010).
  Work-Related Musculoskeletal Disorders among Workers â€<sup>TM</sup> Performing Manual Material Handling Work in an Automotive Manufacturing Company Baba Md . Deros , Dian Darina Indah Daruis , Ahmad Rasdan Ismail , Nurfarhana Abdullah Sawal and Jaharah A . Ghani Depar. American Journal of Applied Sciences, 7(8), 1087-1092.
- Bodin, J., Garlant??zec, R., Costet, N., Descatha, A., Fouquet, N., Caroly, S., & Roquelaure, Y. (2017). Forms of work

organization and associations with shoulder disorders: Results from a French working population. *Applied Ergonomics*, 59, 1-10. http://doi.org/10.1016/j.apergo.2016.0 7.019

- Bosch, T., Mathiassen, S. E., Visser, B., Looze, M. P. de, & Dieën, J. H. van. (2011). The effect of work pace on workload, motor variability and fatigue during simulated light assembly work. *Ergonomics*, 54(2), 154-168.
- Bulduk, E. Ö., Bulduk, S., Süren, T., & Ovali, F. (2014). Assessing exposure to risk factors for work-related musculoskeletal disorders using Quick Exposure Check (QEC) in taxi drivers. International Journal of Industrial Ergonomics, 44(6), 817-820.

http://doi.org/10.1016/j.ergon.2014.10 .002

Burstrom, L., Hagberg, M., Liljeind, I., Lundstrom, R., Nilsson, T., Pettersson, H., & Wahlstrom, J. (2010). A follow-up study of welders' exposure to vibration in a heavy engineering production workshop. Journal of Low Frequency Noise Vibration and Active Control, 29(1), 33-39. http://doi.org/10.1260/0263-

0923.29.1.33

- Cezar-Vaz, M. R., Bonow, C. A., Rocha, L. P., Almeida, M. C. V. de, Severo, L. de O., Borges, A. M., ... Turik, C. (2012). Risk communication as a tool for training apprentice welders: a study about risk perception and occupational accidents. *The Scientific World Journal*, 2012.
- David, G., Woods, V., Li, G., & Buckle, P. (2008). The development of the Quick Exposure Check (QEC) for assessing exposure to risk factors for work-related musculoskeletal disorders. *Applied Ergonomics*, *39*(1), 57-69.
- De Beer, P., & Maja, T. M. M. (2016). Assessment of musculoskeletal disorders and absenteeism at a foundry: original research. Occupational Health Southern Africa, 22(1), 24-29.
- de Cássia Pereira Fernandes, R., da Silva Pataro, S. M., de Carvalho, R. B., & Burdorf, A. (2016). The concurrence of musculoskeletal pain and associated work-related factors: a cross sectional study. *BMC Public Health*, *16*(1), 628. http://doi.org/10.1186/s12889-016-3306-4
- EU-OSHA. (2014). Calculating the cost of work-related stress and psychosocial risks. Www.Healthy-Workplaces.Eu.

http://doi.org/10.2802/20493

EU-OSHA. (2015). Psychosocial Risks and Stress at Work. European Agency for Safety and Health at Work.

- Farhadi, R., Omidi, L., Balabandi, S., Barzegar, S., Abbasi, A. M., & Karchani, M. (2014). Investigation of musculoskeletal dsorders and its relevant factors using quick exposure check (QEC) method among seymareh hydropower plant workers. Journal of Research & Health Social Development & Health Promotion Research Center Vol.
- Francisco, C., & Edwin, T. (2012). Implementation of an ergonomics program for the welding department inside a car assembly company. *Work (Reading, Mass.), 41 Suppl 1,* 1618-21. http://doi.org/10.3233/WOR-2012-0361-1618
- Gooyers, C. E., & Stevenson, J. M. (2012). The impact of an increase in work rate on task demands for a simulated industrial hand tool assembly task. *International Journal of Industrial Ergonomics*, 42(1), 80-89.
- Hao, Z., Lü-wu, X., Lin, W. U., Yi-min, L. I.
  U., Wei-jia, D. U., Can-dong, H., & Jing-dong, Z. (2011). Effects of ergonomic stressors on musculoskeletal disorders of workers in automobile manufacturing [J]. China Occupational Medicine, 4, 11.
- Hernández-Arellano, J. L., Serratos-Perez, J. N., & Coronado, P. P. (2016). Ergonomic Assessment of Material Handling in CV Joint Assembly. In Handbook of Research on Managerial Strategies for Achieving Optimal Performance in Industrial Processes (pp. 101-115). IGI Global.
- Hossein, E., Reza, K., & Abolfazl, M. (2011). Comparative survey of work related musculoskeletal disorders (WRMDs) prevalence and related factors in Iranian welders. *Pakistan Journal of Medical Sciences*, 27(2), 282-285.
- Krishna, O. B., Maiti, J., Ray, P. K., & Mandal, S. (2015). Assessment of risk of musculoskeletal disorders among crane operators in a steel plant: A data mining-based Analysis. Human Factors and Ergonomics in Manufacturing & Service Industries, 25(5), 559-572.
- Lasota, A. M., & Hankiewicz, K. (2016). Working postures of spot welding machine operators. *Occupational Safety and Hygiene IV*, 261.
- Mavis, I., Rahman, A. A., & Tamrin, S. B. H. M. (2014). Ergonomics Risks Reduction :

In Osh Certified and Uncertifiedautomotive Parts Manufacturing Industry Workers. *Middle-East Journal of Scientific Research*, 22(9), 1272-1280. http://doi.org/10.5829/idosi.mejsr.201 4.22.09.925

- Nur, N. M., Dawal, S. Z., & Dahari, M. (2014). The Prevalence of Work Related Musculoskeletal Disorders Among Workers Performing Industrial Repetitive Tasks in the Automotive Manufacturing Companies. Proceedings of the 2014 International Conference on Industrial Engineering and Operations Management Bali, Indonesia, January 7 -9, 2014, 1-8.
- Occhipinti, E., & Colombini, D. (2016). A toolkit for the analysis of biomechanical overload and prevention of WMSDs: Criteria, procedures and tool selection in a step-by-step approach. International Journal of Industrial Ergonomics, 52, 18-28. http://doi.org/10.1016/j.ergon.2015.08 .001
- Peppoloni, L., Filippeschi, a., Ruffaldi, E., & Avizzano, C. a. (2015). (WMSDs issue) A novel wearable system for the online assessment of risk for biomechanical load in repetitive efforts. *International Journal of Industrial Ergonomics*, 1-11. http://doi.org/10.1016/j.ergon.2015.07 .002
- Rafeemanesh, E., Kashani, F. O., Parvaneh, R., & Ahmadi, F. (2017). A Survey on Low Back Pain Risk Factors in Steel Industry Workers in 2015. *Asian Spine Journal*, 11(1), 44-49.
- Saha, S., & Kalra, P. (2016). A cross-sectional survey of hand arm vibration symptoms among angle grinder operators employed in sheet metal work in North India. *International Journal of Human Factors and Ergonomics*, 4(2), 112-125.
- Sharifian, S. A., Loukzadeh, Z., Shojaoddiny-Ardekani, A., & Aminian, O. (2011).

#### Table 1

Pulmonary adverse effects of welding fume in automobile assembly welders. *Acta Medica Iranica*, 49(2), 98-102.

- Sukadarin, E. H., Deros, B. M., Ghani, J. A., Ismail, A. R., Mokhtar, M. M., & Mohamad, D. (2013). Investigation of Ergonomics Risk Factors for Musculoskeletal Disorders among Oil Palm Workers Using Quick Exposure Check (QEC). Advanced Engineering Forum, 10(DECEMBER 2013), 103-109. http://doi.org/10.4028/www.scientific. net/AEF.10.103
- Zare, M., Malinge-Oudenot, A., Höglund, R., Biau, S., & Roquelaure, Y. (2016). Evaluation of ergonomic physical risk factors in a truck manufacturing plant: Case study in SCANIA Production Angers, 54(2), 163-176. http://doi.org/10.2486/indhealth.2015-0055
- Zare, M., Mignot, B., Sagot, J., & Roquelaure, Y. (2016). The Pattern of Upper Arm and Back Movements for Automotive Assembly Operators: Exposure Variation Analysis of Acceleration Data. In Advances in Physical Ergonomics and Human Factors (pp. 113-123). Springer.
- Zokaei, M., Flahati, M., Jalilian, H., Faghih, M., Normohammadi, M., & Amiry, S. (2014). Assessment of musculoskeletal disorders risk using MFA method and the survey of correlation between its results and results of RULA method. Occupational Medicine Quarterly Journal, 6(3), 60-69.

Summary of workstation	and job task for	exposure to	o musculoskeletal	risk factors assessments
------------------------	------------------	-------------	-------------------	--------------------------

Worker	Total discomfort score by CMDQ	Assembly Line	Workstation	No of task	No of spot/ length welding	Target output (pcs/hour)
Worker 1	163	Line 1	Stationary spot welding process	1	4	45
Worker 2	144	Line 1	Panel member rear cross No.1 spot gun	3	6	30

			welding assembly process			
Worker 3	110	Line 2	CO2 Welding process	4	15cm	40
Worker 4	117	Line 2	Panel member rear cross No.1 spot gun welding assembly process	3	8	17
Worker 5	120	Line 3	Panel member floor side inner spot gun welding assembly process	2	7	35
Worker 6	110	Line 4	Panel center pillar spot gun welding assembly process	4	9	20
Worker 7	186	Line 4	Panel roof side inner spot gun welding assembly process	4	6	25
Worker 8	118	Line 4	Panel center pillar spot gun welding assembly process	4	9	20
Worker 9	111	Line 5	Fuel Lid assembly process	2	-	40
Worker 10	110	Line 6	Door hinge assembly process	3	-	125

#### Table 3

## The exposure risk level by job task for body regions

Worker	Assembly	Workstation	The exposure level					
	Line		Back (Moving)	Back (static)	Shoulder & Arm	Wrist & hand	Neck	
Worker 1	Line 1	Stationary spot welding process	Moderate	-	Moderate	Moderate	Very High	
Worker 2	Line 1	Panel member rear cross No.1 spot gun welding assembly process	High	-	High	High	Very High	

Worker 2	Line 2	CO2 Wolding	High		High	Modorato	Vory High
WUIKEI 5	Line z	process	підп	-	підії	moderate	very nigh
Worker 4	Line 2	Panel member rear cross No.1 spot gun welding assembly process	Very High	-	Very High	Moderate	Very High
Worker 5	Line 3	Panel member floor side inner spot gun welding assembly process	High	-	Very High	Moderate	Very High
Worker 6	Line 4	Panel center pillar spot gun welding assembly process	High	-	High	Moderate	High
Worker 7	Line 4	Panel roof side inner spot gun welding assembly process	Very High	-	Very High	Moderate	Very High
Worker 8	Line 4	Panel center pillar spot gun welding assembly process	High	-	High	Moderate	Very High
Worker 9	Line 5	Fuel Lid assembly process	High	-	High	Moderate	High
Worker 10	Line 6	Door hinge assembly process	-	Moderate	High	Low	Moderate

## Table 4

## The exposure risk level by job task for psychosocial factors

			The exposure level				
Worker	Assembly Line	Workstation	Driving	Vibration	Work pace	Stress	
Worker 1	Line 1	Stationary spot welding process	Low	Moderate	High	Moderate	
Worker 2	Line 1	Panel member rear cross No.1 spot gun welding assembly process	Low	High	Moderate	High	

Worker 3	Line 2	CO2 Welding process	Low	High	Moderate	High
Worker 4	Line 2	Panel member rear cross No.1 spot gun welding assembly process	Low	High	High	Very high
Worker 5	Line 3	Panel member floor side inner spot gun welding assembly process	Low	High	Moderate	High
Worker 6	Line 4	Panel center pillar spot gun welding assembly process	Low	High	High	Moderate
Worker 7	Line 4	Panel roof side inner spot gun welding assembly process	Low	High	Moderate	Moderate
Worker 8	Line 4	Panel center pillar spot gun welding assembly process	Low	High	Moderate	Moderate
Worker 9	Line 5	Fuel Lid assembly process	Low	High	Moderate	Moderate
Worker 10	Line 6	Door hinge assembly process	Low	Low	Low	Low

Appendix A

# BAHAGIAN BELAKANG (BACK)

A)Apabila melaksanakan tugas, di bahagian belakang. Pilih keadaan kes yang lebih teruk. (When performing the task, is the back (select worse case situation).

- A1 Hampir neutral? (Almost neutral?)
- A2 Secara sederhana membengkok atau berpintal atau bengkok tepi. (Moderately flexed or twisted or side bent?)
- A3 Secara melampau membengkok atau berpintal atau bengkok tepi> (Excessively flexed or twisted or side bent?)

# B) Select ONLY ONE of the two following task options:

MANA-MANA (EITHER)

Untuk tugas static/pegun duduk atau berdiri. Adakah di belakang masih dalam kedudukan statik pada kebanyakan masa? (For seated or standing stationary tasks. Does the back remain in a static position most of the time?)

B1 Tidak (No) B2 Ya (Yes)

#### ATAU (OR)

Untuk mengangkat, menolak/menarik dan menjalankan tugas.cth; memindahkan beban. Adalah pergerakan di belakang (For lifting, pushing/pulling and carrying tasks (i.e. moving a load). Is the movement of the back)

B3 Tidak Kerap (kira-kira 3 kali seminit atau kurang)

- (Frequent (around 8 times per minute)?)
- B5 Sangat kerap (sekitar 12 kali setiap minit atau lebih)

(Very frequent (around 12 times per minute or more)?)

## LEHER (NECK)

# **G)** Apabila melaksanakan tugas, bahagian kepala/leher bengkok atau berbelit? (When performing the task, is the head/neck

bent or twisted?)

#### G1 Tidak (No)

- G2 🛛 Ya, kadang-kadang (Yes, occasionally)
- G3 🛛 Ya, secara berterusan (Yes, continuously)

# BAHU/ LENGAN (SHOULDER/ARM)

#### C) Apabila tugas itu dilaksanakan, akan tangan (Pilih kes situasi yang lebih teruk) When the task is performed, are the hands (select worse case situation) C1 🛛 Pada atau di bawah ketinggian pinggang? (At or below waist height?) C2 🗖 Pada kira-kira ketinggian dada? (At about chest height?) C3 D Pada atau di atas ketinggian bahu? (At or above shoulder height?) D) Pergerakan bahu/lengan adalah (Is the shoulder/arm movement) D1 Tidak kerap (beberapa pergerakan yang berselang seli)? (Infrequent (some intermittent movement)?) D2 🗖 Kerap (pergerakan biasa menjeda beberapa) (Frequent (regular movement with some pauses)?) D3 D Sangat kerap (pergerakan hampir berterusan)? (Very frequent (almost continuous movement)?) PERGELANGAN TANGAN/TANGAN (WRIST/HAND) E) Tugas ini dilakukan dengan.. (Pilih keadaan kes yang lebih teruk) (Is the task performed with...) (select worse case situation) E1 Pergelangan tangan yang hampir lurus? (An almost straight wrist?) E2 Peraelanaan tanaan melencona atau benakok? (A deviated or bent wrist?) F)Pergerakan yang sama berulang-ulang corak akan (Are similar motion patterns repeated) F1 10 kali seminit atau kurana? (10 times per minute or less?) F2 11 hingga 20 kali seminit? (11 to 20 times per minute?)

F3 Lebih daripada 20 kali seminit (More than 20 times per minute?)

Appendix B



#### Appendix C



Appendix D

#### **Exposures scores:**



